	· · · · · · · · · · · · · · · · · · ·		
SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY		
 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. Article Addressed to: 	A. Signature Agent Addressee Addre		
Ms. Lisa Matta,			
Dept. of Industrial Relations Division of Occupational Safety & Health PSM R6 D3 1450 Enea Circle, Suite 550 Concord, CA 94520-7996	3. Service Type A Certified Mail		
2. Article Number (Transfer from service label) 7009.3410	0000 1565 2892		
PS Form 3811. February 2004 Domestic Re	turn Receipt 102595-02-M-154		

# -					!
25		amistic	I WEL		
13 Pr		AMINT!	E21		
Penit	W	ou May	Chevron Produc 841 Chevr Richmond, C	· · · · · · · · · · · · · · · · · · ·	
100/2011 \$450/10			•		
द्भे	• xod sint ni 4+9IZ	e, address, and	ease print your nam	Sender: Ple	,
bis9 se	First-Class Ma Postage & Fe USPS Permit No. G-		AL SERVICE	reog estat&	Омітер

7406-000-S0-025 N29 (Reverse) 8005 izugua, 6008-000-9047
INPORTATION IN BRIDGE THE CONTRACT IN When making an inquiry.
receipt is not needed, detach and affix label with postage and mail.
If a postmark on the Certified Mail receipt is desired, please present the arti- cle at the post office for postmarking. If a postmark on the Certified Mail
Fig. 2. "Sealined Delivery" in measurement in the edition of the management in the edition of the edit
addressee's authorized agent. Advise the clerk or mark the mailpiece with the
For an additional fee, delivery may be restricted to the addresses for
a duplicate return receipt, a USPS® postmark on your Certified Mail receipt is
Receipt (PS Form 3811) to the article and add applicable postage to cover the fee, Endorse mailpiece "Return Receipt Requested". To receive a fee walver for,
delivery. To obtain Receipt service, please complete and attach a Return
■ For an additional fee, a Return Receipt may be requested to provide proof of
■ NO INSURANCE COVERAGE IS PROVIDED with Certified Mail. For valuables, please consider Insured or Registered Mail.
■ Certified Mail is not available for any class of international mail.
■ Certified Mail may ONLY be combined with First-Class Mail® or Priority Mail®
ក្ស នេះមានមានមាន នេះមាន មានក្រសួយប្រ
■ A record or delivery kept by the Postal Service for two years
A unique identifier for your mailpiece
fqieoei priliism A 🔳
Certified Mail Provides:



W. Hartwig
Manager

Health, Environment & Safety
Chevron Products Company P. O. Box 1272
Richmond, CA 94802-0272
Tel 510 242 1400
Fax 510 242 5353
iwha@chevron.com

January 26, 2011

CAL/OSHA
Department of Industrial Relations
Cashier Accounting Office PV
PO Box 420603
San Francisco, CA 94142-0603

CAL/OSHA Penalty Payment

To Whom It May Concern:

Enclosed, please find the penalty payment for Citations 1, 2, and 3 in the amount of \$8,325.00, regarding Inspection Number <u>314325168</u>, Reporting ID <u>0950663</u>, Index Code <u>4037</u> issued 12/28/2010 and received 1/19/2011.

to Ju. Hartwig

For questions, please contact Mr. Thomas DiPalma at (510) 242-2233.

Sincerely,

Jéff W. Hartwig

Cc: Ms. Lisa Matta

Dept. of Industrial Relations

Division of Occupational Safety & Health

PSM R6 D3



Chevron Products Company A Division of Chevron U.S.A. Inc. P.O. Box 9034 Concord CA 94524 62-20 311

01/25/2011

NU. UU263U9921

PAY TO ORDER OF DEPT OF INDUSTRIAL RELATIONS CASHIER ACCOUNTING OFFICE PV PD BOX 420603 SAN FRANCISCO CA 941420603

******\$8,325.00

NOT VALID AFTER 1 YEAR

Eight thousand three hundred twenty-five and 00/100 Dollars

CITIBANK N.A., ONE PENN'S WAY, NEW CASTLE, SE 19720

Chevron AUTHORIZED SIGNATURE

"*OO26309921" "CO31100209" 38696461"

DEPARTMENT OF INDUSTRIAL RELATIONS

DIVISION OF OCCUPATIONAL SAFETY AND HEALTH - CAL/OSHA

Cashier, Accounting Office P.O. Box 420603

San Francisco, CA 94142-0603

Phone (415) 703-4291 or (415) 703-4295 FAX (415) 703-3037

PENALTY REMITTANCE FORM

CIVIL PENALTY INFORMATION INSPECTION NUMBER 314325168 REPORTING ID 0950663 INDEX CODE 4037

Chevron USA, Inc. dba Chevron Products Co.

ESTABLISHMENT NAME

CONTACT FERSON	THIOMING DITER				
PHONE NO.	510-242-2233	FAX NO	510-242-5353		
SITE ADDRESS	841 Chevron Way, Richmond				
MAILING ADDRESS	841 Chevron Way, Richmond, CA, 9480	<u>1</u>			
CITATION INFORMATION (Penaltic item of this citation, remittance is still d	s are due within 15 working days of receip ue on all items that are not appealed.)	t of this notification	unless contested. If you are appealing any		
	ems: e.g. Citation 1, Items 1-5; Citation 3				
Citas	tion 1, Item 1; Citation	2 Itml	· Citation 3, Item/		
	TYPE OF PAYMENT EN	CLOSED			
CHECK OR MONEY ORDER INFO					
CHECK ENCLOSED IN THE	AMOUNT OF $\frac{8}{3}$	25.00			
MONEY ORDER ENCLOSEI					
(Please make check or money order pay Inspection Number on the "memo" porti	Please make check or money order payable to CAL/OSHA and mail to the Cashier, Accounting Office, at the above address. Reference the inspection Number on the "memo" portion of your check or money order.)				
Go to www.dir.ca.gov/dosh to access the OR Complete this section and fax to (41 CREDIT CARD INFORMATION	e on-line third party secure payment proces 5) 703-3037	sing site.			
VISA OR MASTERCARD CR	EDIT CARD NO.		EXPIRATION DATE		
CREDIT CARD SECURITY C	CODE (last 3 digits on back of card)	· .			
NAME OF CARDHOLDER	<u> </u>	SIGNATUI	Œ		
CARDHOLDER PHONE NO.	· · · · · · · · · · · · · · · · · · ·	FAX NO.			
AMOUNT OF PAYMENT \$					
	FOR OFFICE USE ONI	LY			
AUTHORIZATION NO	DATE PROCESSE	ED			
PROCESSED BY			·		
Please call (415) 7	03-4291 or 703-4295 or complete the information	mation above and f	ax to (415) 703-3037		
			C21/OSHA-2 DDE Day 7/08		

Cal/OSHA-2 PRF Rev 7/08

Division of Occupational Safety and Health Cal/OSHA Process Safety Management District Office 1450 Enea Circle, Suite 550 (Index Code 4037)

Concord, CA 94520-7996

Phone: (925) 602-2665 Fax: (925) 602-2668

925 602-2665

AMENDED NOTICE OF PROPOSED PENALTIES

Company Name:

Chevron USA, Inc. dba Chevron Products Co.

Inspection Site:

841 Chevron Way, Richmond, CA 94801

Mailing Address:

841 Chevron Way, Richmond, CA 94801

Issuance Date:

12/28/2010

Reporting ID:

0950663

Index Code:

4037

Summary of Penalties for Inspection Number 314325168

Citation 1, General	=	\$ 225.00
Citation 2, General	=	\$ 4050.00
Citation 3, General	=	\$ 4050.00
TOTAL PROPOSED PENALTIES	=	\$ 8325.00
NO CHANCE IN DENALTIES		

NO CHANGE IN PENALTIES

Penalties are due within 15 working days of receipt of this notification unless contested. If you are appealing any item of this citation, remittance is still due on all items that are not appealed. Enclosed for your use is a Penalty Remittance Form.

If you are paying by credit card (MasterCard and Visa): Please have this form on-hand when you are ready to make your payment. The company name, index code, reporting ID and Citation number(s) will be required to ensure that the payment is accurately posted to your account. Please go to www.dir.ca.gov/dosh to access the secure payment processing site.

If you are paying by check: Mail this Notice of Proposed Penalties, the Penalty Remittance Form, along with a copy of the Citation and Notification of Penalty to:

DEPARTMENT OF INDUSTRIAL RELATIONS CASHIER, ACCOUNTING OFFICE P. O. BOX 420603 SAN FRANCISCO, CA 94142-0603

CAL/OSHA does not agree to any restrictions, conditions or endorsements put on any check or money order for less than the full amount due, and will cash the check or money order as if these restrictions, conditions or endorsements do not exist.

Division of Occupational Safety and Health

Cal/OSHA No CA PSM District Office (0950663; 4037 Issuance Date:

1450 Enea Circle, Suite 550

Concord, CA 94520

Inspection Number: 314325168

Inspection Dates: 10/20/2010 - 12/28/2010

12/28/2010

CSHO ID: 17311

Optional Inspection Nbr: 006-11



Citation and Notification of Penalty

Phone: (925) 602-2665 Fax: (925) 602-2668

Company Name:

Chevron USA, Inc. dba Chevron Products Co.

Inspection Site:

841 Chevron Way, Richmond, CA 94801

AMENDED

"THIS CITATION AMENDS CITATION NO. 1 ISSUED ON 12/28/10 TO EXTEND THE ABATEMENT UNTIL 02/28/11 FOR ITEMS NO. 1. ALL OTHER ITEMS OF THE CITATION AND PENALTY REMAIN UNCHANGED AND EFFECTIVE. THIS AMENDED CITATION SHALL BE POSTED WITH THE ORIGINAL CITATION FOR AT LEAST THREE WORKING DAYS OR UNTIL THE VIOLATIVE CONDITION IS ABATED, WHICHEVER IS LONGER."

<u>Citation 1 Item 1</u> Type of Violation: General

T8CCR5162(c) Emergency eyewash facilities and deluge showers shall be in accessible locations that require no more than 10 seconds for the injured person to reach. If both an eyewash and shower are needed, they shall be located so that both can be used at the same time by one person. The area of the eyewash and shower equipment shall be maintained free of items which obstruct their use.

The emergency eyewash and shower facility located in the Fluidized Catalyst Cracker Unit were not located so that they both could be used at the same time by one person.

This violation was observed on October 20, 2010.

Date By Which Violation Must be Abated:

02/28/2011

Proposed Penalty:

225.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

Division of Occupational Safety and Health

Cal/OSHA No CA PSM District Office (0950663; 4037 Issuance Date:

1450 Enea Circle, Suite 550

Concord, CA 94520

Inspection Number: 314325168

Inspection Dates: 10/20/2010 - 12/28/2010

Issuance Date: 12/28/2010 **CSHO ID:** 17311

Optional Inspection Nbr: 006-11



Citation and Notification of Penalty

Phone: (925) 602-2665 Fax: (925) 602-2668

Company Name: Chevron USA, Inc. dba Chevron Products Co. Inspection Site: 841 Chevron Way, Richmond, CA 94801

AMENDED

"THIS CITATION AMENDS CITATION NO. 2 ISSUED ON 12/28/10 TO REDUCE THE ITEM TO A GENERAL; EXTEND THE ABATEMENT UNTIL 06/01/11; AND TO CHANGE THE AVD LANGUAGE FOR ITEMS NO. 1. ALL OTHER ITEMS OF THE CITATION AND PENALTY REMAIN UNCHANGED AND EFFECTIVE. THIS AMENDED CITATION SHALL BE POSTED WITH THE ORIGINAL CITATION FOR AT LEAST THREE WORKING DAYS OR UNTIL THE VIOLATIVE CONDITION IS ABATED, WHICHEVER IS LONGER."

<u>Citation 2 Item 1</u> Type of Violation: Serious

T8CCR 5189(f)(1)(A)

The employer shall develop and implement written procedures that provide clear instructions for safely conducting activities involved in each process consistent with the process safety information and shall address at least the following: (A) Steps for each operating phase:

The employers existing written operating procedures for normal shutdown do not contain clear instructions for cleaning the C-90 bottoms system strainers in the Fluidized Catalyst Cracker Unit.

This violation was observed on October 20, 2010.

Date By Which Violation Must be Abated:

06/01/2011

Proposed Penalty:

\$ 4050.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

Division of Occupational Safety and Health Cal/OSHA No CA PSM District Office (0950663; 4037)ssuance Date:

1450 Enea Circle, Suite 550

Concord, CA 94520

Inspection Number: 314325168

Inspection Dates: 10/20/2010 - 12/28/2010

CSHO ID: 17311

12/28/2010

Optional Inspection Nbr: 006-11

Phone: (925) 602-2665 Fax: (925) 602-2668

Citation and Notification of Penalty

Company Name: Chevron USA, Inc. dba Chevron Products Co. 841 Chevron Way, Richmond, CA 94801 **Inspection Site:**

AMENDED

"THIS CITATION AMENDS CITATION NO. 3 ISSUED ON 12/28/10 TO REDUCE THE ITEM TO A GENERAL AND EXTEND THE ABATEMENT UNTIL 01/31/11 FOR ITEMS NO. 1. ALL OTHER ITEMS OF THE CITATION AND PENALTY REMAIN UNCHANGED AND EFFECTIVE. THIS AMENDED CITATION SHALL BE POSTED WITH THE ORIGINAL CITATION FOR AT LEAST THREE WORKING DAYS OR UNTIL THE VIOLATIVE CONDITION IS ABATED, WHICHEVER IS LONGER.

"Citation 3 Item 1 Type of Violation: Serious

T8CCR 5189(e)(4) The employer shall establish a system to promptly address the team's findings and recommendations; document any actions taken to implement the team's recommendation; develop a written schedule of when these actions are to be completed; assure that the recommendations are resolved in a timely manner; make them available to operating, maintenance and any other persons who work assignments are in the facility, and who are affected by the recommendations or actions; and assure that the recommendations are evaluated in a timely manner or implement an alternative resolution which appropriately addresses the degree of hazard posed by the scenario.

A recommendation ranked as minor, in the employer's Process Hazard Analysis Report, dated 5/27/2008-9/16/2010 was failed to be addressed in a timely manner. Specifically, the concern during startup or steaming out of V-102's, V-105's, and V-106's Fractionator bottoms strainers, the potential to drain liquid to sewer along with solids may cause back splash resulting in possible fire or personnel injury. Employer's PHA report requires a resolution which appropriately addressed the degree of hazard posed by the scenario.

This violation was observed on October 20, 2010.

Date By Which Violation Must be Abated:

Proposed Penalty:

01/31/2011 4050.00

Phone: (925) 602-2665 Fax: (925) 602-2668

Compliance Officer/District Manager

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

Citation and Notification of Penalty

Page 7 of 7

Cal/OSHA-2 Rev 7/07